

# Comparison of Effectiveness of Mindfulness and Happiness Training in Promoting Parent-Child Interaction Case Study: Mothers of Anxious Preschool Children in Shahrekord 2018

Arjang Fereydooni <sup>1</sup>, Alireza Heidari <sup>\*2</sup>, Zahra Eftekhari Saadi <sup>2</sup>,  
Parvin Ehteshamzadeh <sup>2</sup>, Reza Pasha <sup>2</sup>

1. Department of Psychology, Khuzestan Science and Research Branch, Islamic Azad University, Ahvaz, Iran
2. Department of Psychology, Ahvaz Branch, Islamic Azad University, Ahvaz, Iran

## ARTICLE INFO

### Original Article

Received: 7Oct 2019

Accepted: 7Jan 2020



### Corresponding Author:

Alireza Heidari

heidaria945@gmail.com

## ABSTRACT

**Introduction:** Anxiety disorders are common psychiatric disorders in children and adolescents. It seems that the parent-child interaction affects or exacerbates the creation of anxiety disorders in children. The present study aimed to compare the effectiveness of mindfulness and happiness training in promoting parent-child interaction in mothers of anxious preschool children.

**Methods:** The research method was experimental with a pretest-posttest design and control group. The statistical population included all mothers of pre-school anxious children in Shahrekord in 2018. Using the multistage sampling method, 45 people were selected and put randomly in the control and two experimental groups (n=15 per group). The Spence Children's Anxiety Scale (SCAS) and Pianta's Child-Parent Interaction Questionnaire (PACHIQ) were used for data collection. Experimental groups were put under mindfulness (eight 90-minute sessions) and happiness (ten 90-minute sessions) training, but the control group did not receive any intervention. Analysis of the data involved both inferential and descriptive statistics including mean, standard deviation. Data analysis was conducted using one-way analysis of variance (one-way ANOVA) and analysis of covariance (ANCOVA). SPSS version 24 was further used for analyzing the data. The significance level of research was considered to be  $\alpha=0.05$ .

**Results:** The results indicated that both mindfulness ( $p=0.0001$ ) and happiness ( $p=0.0001$ ) training increased parent-child interaction in mothers of anxious preschool children. The mean  $\pm$  SD of the post-test score of parent-child interaction in the control group was  $96.73 \pm 7.89$  which was significantly different from the experimental groups ( $p=0.0001$ ). Furthermore, there was no significant difference between the effectiveness of mindfulness ( $117.80 \pm 4.47$ ) and happiness training ( $115.46 \pm 4.65$ ) in promoting parent-child interaction in mothers of anxious children ( $p=0.599$ ).

**Conclusion:** Mindfulness and happiness training were effective in improving parent-child interaction in mothers of preschoolers with anxiety and could similarly change the parent-child interaction in mothers of anxious children.

**Keywords:** Happiness, Parent-child interaction, Anxiety disorder, Preschool

### How to cite this paper:

Fereydooni A, Heidari AR, Eftekhari Saadi Z, Ehteshamzadeh P, Pasha R. Comparison of Effectiveness of Mindfulness and Happiness Training in Promoting Parent-Child Interaction Case Study: Mothers of Anxious Preschool Children in Shahrekord 2018. J Community Health Research. 2020; 9(1): 37-45.

**Copyright:** ©2020 The Author(s); Published by Shahid Sadoughi University of Medical Sciences. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

## Introduction

Anxiety disorders are chronic and people with these disorders will have adaptation problems until adulthood (1). The epidemiological studies indicate that anxiety disorders with a prevalence of 5 to 17 percent, are widely common in psychiatry during childhood and are often experienced by school children. Their prevalence is two times greater in girls than boys and this difference will continue until the six years of age (2). Moreover, these disorders are stable over time and put people at the risk of inadequate functioning in other fields such as low self-esteem, depression and drug addiction, or poor academic performance (3).

Given the impact of anxiety disorders on psychological functions and mental health of children and their parents, it seems that the parent-child interaction affects or exacerbates the creation of anxiety disorders in children. The parent-child interaction means a parenting style that is created in the interaction between mother and child (4). It can be argued that the quality of this interaction emphasizes the impact of communication and attitude towards children and the creation of an emotional atmosphere by mothers (5). At the same time, improving the quality of mother-child interaction is an evidence-based approach to the reduction of disruptive behavior in children and improved behavioral management by parents (6). The main goals of improving the quality of parent-child interaction include the reduction of child behavioral problems, an increase in socially desirable behavior, and the improvement of child-rearing skills such as decisive discipline and reduction of parental stress (7).

Since several factors affect relationships of children and parents and the quality of their interaction; and thus, it is necessary to use techniques and training to improve mother-child interaction in mothers of anxious children. Mindfulness training is an important technique in this regard. Mindfulness helps people process their cognitive, behavioral and physiological activities. This approach is based on three components of avoiding judgment, raising one's awareness, and focusing on the present (8). In general, the mindful

people have safe assessments of accidents and stressful happenings and benefit less from coping avoidance strategies (9). More adaptive responses to stress and coping strategies are completely mediated by mindfulness and well-being (10). Some studies have indicated the effectiveness of this therapy.

Neece et al. (11) found that mindfulness-based stress reduction training improved parental relationships and interactions with their retarded children. Ridderinkhof et al. (12) also found that the mindfulness-based program was effective in improving parental interaction with children with Autism spectrum disorder (ASD). The results of studies by Geurtzen et al. (13) and Tak et al. (14) also indicated a lack of correlation between parental fluid awareness (mindfulness) and the symptoms of depression and anxiety in adolescents. Karimi et al. (15) reported that the quality of mother-child interaction had a direct and significant effect on the mental health and religious identity of students.

Happiness training is another important approach to the improvement of parent-child interaction in mothers of anxious children. Due to the increasing introduction of the effect of happiness on individuals' mental health and well-being and its effect on the consolidation of human psychological forces to deal with stressful problems and complexities of today's world, the researchers have paid attention to this issue. Happy people feel more secure, are more partnership-spirited, make decisions easier than others in their living environment, and have more satisfaction (16).

Due to adverse effects of anxiety in children and its effects on parent-child interaction and its consequences, timely diagnosis and appropriate interventions by therapists can improve its adverse conditions and improve the parent-child interaction in mothers with anxious children. Based on the above cases, the present study sought to evaluate and compare the effectiveness of mindfulness and happiness training in promoting parent-child interaction in mothers of anxious preschool children.

## Methods

The research method was experimental with a pretest-posttest design and control group. The statistical population included all mothers of anxious preschool children in Shahrekord (The capital city of Chaharmahal and Bakhtiari Province; Southwest of Iran) in 2018. The research was done by a multistage sampling method. First, Shahrekord was divided into five regions: North, South, East, West and Central and five kindergartens of each region were selected based on kindergarten managers' cooperation. The sample size was calculated using Cohen's table of 45 people. The statistical power indicated that the sample size was sufficient for the study objectives (17, 18). They were then assigned to two experimental groups and a control group (n=15 per group) by simple random sampling and the questionnaires were provided to them. Exclusion criterion: the existence of concurrent interventions; the existence of family problems; and the absence of more than two treatment sessions. After the selection of eligible mothers, the pre-test was done under the same conditions, and then the first experimental group under the mindfulness training intervention was exposed to 8 weekly sessions individually for 90 minutes. The second experimental group under the happiness training was exposed to 10 weekly sessions in a group for 90 minutes.

### Assessment Instrument

**Children's Anxiety Scale:** The Preschool Children's Anxiety Scale (CAS) (Parental Form) was designed by Spence et al. (19) in a 28-item form. On this scale, parents rate the frequency of child behavior on a 5-point Likert scale. The subscales of this test are generalized anxiety disorder, social phobia, obsessive-compulsive disorder, fear of physical injury, and separation anxiety disorder, which yield the total score of the

test. Spence et al. (19) calculated the correlation of subscales of this test to be 0.44. Validation of test was examined by Ghanbari et al. (20) in Iran and the correlation of its subscales was 0.82 in total scale score by the test-retest, and greater than 0.70 in all its subscales. In the present study, Cronbach's alpha was utilized to determine the reliability of the children's anxiety Scale and it was 0.84 for the entire questionnaire.

**Child-parent interaction Questionnaire:** The 33-item child-parent interaction Questionnaire was designed by Pianta (1994) and measured the parental perceptions of their relationships with children. The questionnaire consists of three components, namely closeness, dependency, and conflict. Scoring the questionnaire is based on a 5-point Likert scale from 1: totally disagree to 5: strongly agree, and the total score of this test is obtained from summing up 33 questions. The total score of the test was used in the present study. The content validity of the questionnaire was desired according to Abedi-Shapourabadi et al. (21) and the total test reliability was 0.86. In a study, Abedi-Shapourabadi et al. (21) reported a Cronbach's alpha of 0.86 for the whole questionnaire. In the present study, the Cronbach's alpha coefficient was 0.87 for the questionnaire.

### Intervention program

The first intervention program consisted of eight 90-minute sessions of mindfulness training. This intervention was performed by Baer (22) on the parents of exceptional children and the results showed a good validity. (Table 1 presents the summary of sessions). The second intervention program consisted of ten 90-minute sessions of group happiness training. This intervention was performed by Fordyce's (23) on the couples and the results showed a good validity. (Table 2 presents the summary of sessions).

**Table 1.** Mindfulness training sessions (22)

Session	Title	Session Description
First	Introduction and basis of treatment	Establishment of a relationship; definition and conceptualization; the need for using mindfulness training; and pre-test
Second	Automatic guidance and coping with the barriers	Presenting general themes of each session; a brief introduction to the mindfulness approach; parent-child interaction overview; mindfulness to exit automatic guidance; training raisin eating and focusing on it; training thoughts and feelings; sitting meditation; and physical examination
Third	Mindfulness of breathing	Training mindfulness of breathing and meditation of mindfulness; sitting meditation, mindfulness of breathing and body; mindfulness and meditation training; training to see and hear; walking training with mindfulness; physical checking by the focus on breathing
Fourth	Stay at present	Breathing and body meditation training; the meditation of thoughts and noise; different ways of seeing thoughts; training to see the connection between activities and mood.
Fifth	Permission to attend	Permission of experience as they are without their judgment; Meditations
Sixth	Thoughts are not facts	Creating negative thoughts restricts our connection with experience even though they are not true.
Seventh	Self-care	Learning to take self-care by practicing and meditation
Eighth	Use of learning	A balanced life by the help of mindfulness and meditation

**Table 2.** Description of Happiness Training Sessions (23)

Session	Content of Sessions
First	Introducing members of the group to each other; reviewing the structure of sessions, rules, and regulations; training the activity technique, and being a more active member, and performing the pre-test
Second	Training techniques for increasing intimacy and social relationships in members
Third	Training techniques for increasing creativity in members
Fourth	Training techniques for planning and better organization in members
Fifth	Training techniques for stopping concerns in members
Sixth	Training techniques for lowering expectations and self-esteem in members
Seventh	Training techniques for developing positive thinking and optimism in members
Eighth	Training techniques for living at present
Ninth	Training techniques for expressing emotions quite easily
Tenth	Training techniques for valorizing happiness in members

### Statistical analyses

Data were analyzed by descriptive and inferential statistics such as mean and standard deviation scores. Data normality was examined by the Shapiro-Wilks test. Levene's test was also utilized to examine the equality of variances. The analysis of variance was utilized to test the assumption of homogeneity of line slope. Bonferroni's post hoc test was used to determine the mean difference between different training sessions. Data analysis

was conducted using one-way analysis of variance (one-way ANOVA) and analysis of covariance (ANCOVA). SPSS version 24 was further used for analyzing the data. The significance level of research was considered to be  $\alpha=0.05$ .

### Results

The mean  $\pm$  SD age of the participants in the mindfulness training, happiness training, and control groups were  $34.36 \pm 2.59$ ,  $36.08 \pm 2.63$

and  $34.20 \pm 2.29$ , respectively. The demographic characteristics of the participants are shown in Table 3.

The results showed that the distribution of scores was normal in research variables. Levene's test was also utilized to examine the equality of variances (for equality of variances in experimental and control groups) ( $F = 3.156$  and  $p = 0.062$ ). The results indicated that the assumption of the equality of variances was true and the use of analysis of

covariance was permitted. Furthermore, the analysis of variance was utilized to test the assumption of homogeneity of line slope ( $F = 707.59$  and  $p = 0.120$ ). This interaction was not significant, indicating compliance with the assumption of homogeneity of line slope. Therefore, the assumption of homogeneity of regression line slope was true for research variables; and the analysis of covariance test can be used.

**Table 3.** Demographic characteristics of the participants.

Groups	Age	Education				
	(Mean $\pm$ SD)	Middle School degree	Diploma	Associate degree	Bachelor's degree	Master's Degree
Mindfulness training	$34.36 \pm 2.59$	5	1	3	4	2
Happiness training	$36.08 \pm 2.63$	2	6	1	5	1
Control	$34.20 \pm 2.29$	0	5	4	2	4
Overall Percentage (%)	-	15.55	26.70	17.80	24.40	15.55

**Table 4.** Mean and standard deviation of the dependent variable in experimental and control groups in pre-test and post-test

Dependent variable	Test	Mindfulness training	Happiness training	Control
		M $\pm$ SD	M $\pm$ SD	M $\pm$ SD
Parent-child interaction	Pre-test	$97.13 \pm 5.34$	$96.46 \pm 4.25$	$95.26 \pm 6.89$
	Post-test	$117.80 \pm 4.47$	$115.46 \pm 4.65$	$96.73 \pm 7.89$

Table 4 presents the mean and standard deviation of research variables in the experimental and control groups in the pre-test and post-test. Mean  $\pm$  SD of mindfulness, happiness and control groups in the pre-test stage were  $97.13 \pm 5.34$ ,

$96.46 \pm 4.25$  and  $95.26 \pm 6.89$ , respectively. Whereas, mean  $\pm$  SD of mindfulness, happiness and control groups in the post-test stage were  $117.80 \pm 4.47$ ,  $115.46 \pm 4.65$  and  $96.73 \pm 7.89$ , respectively.

**Table 5.** The results of univariate analysis of covariance on the post-test scores of parent-child interactions.

Dependent variable	df	SS	MS	F	p-value
Parent-child interaction	2	3383.715	1691.858	188.440	0.0001

Based on Table 5, the F ratio refers to univariate analysis of covariance for the dependent variable. In the parent-child interaction variable, there were significant differences between "mindfulness

training", "happiness training" groups and control. Therefore, at least training had a significant effect on the dependent variable.

**Table 6.** The results of the Bonferroni's post hoc test.

Variable	Groups	Mean difference	SE	p-value
Parent-child interaction	Mindfulness training - Control	19.114**	1.196	0.0001
	Happiness training- Control	17.572**	1.194	0.0001
	Mindfulness training - Happiness training	1.542	1.183	0.599

\*\* =  $p < 0.01$



The difference between means of the mindfulness training and control groups was 19.114 in the parent-child interaction and it was significant ( $p=0.0001$ ) (Table 6). The findings indicated that mindfulness training was effective in promoting parent-child interaction; hence, the first research hypothesis was confirmed. Furthermore, the difference between means of happiness training and control groups was 17.572 in the parent-child interaction ( $p=0.0001$ ). The findings also indicated that happiness training was effective in promoting the parent-child interaction. Therefore, the second research hypothesis was confirmed. The difference between means of the mindfulness training and happiness training groups was 1.542 in the parent-child interaction and it was not significant ( $p=0.599$ ). The findings indicated that there was no significant difference between mindfulness training and happiness training groups in the parent-child interaction.

### Discussion

Mindfulness training was effective in promoting the parent-child interaction of mothers of anxious preschool children. In other words, mindfulness training improved the parent-child interaction in the experimental group versus the control group. In support of this hypothesis, Neece et al. (11) found that mindfulness-based stress reduction training improved parental relationships and interactions with their retarded children. Ridderinkhof et al. (12) also indicated that a mindfulness-based program was effective in improving parental interaction with children with an autism spectrum disorder. Parent et al. (24) also concluded that when parental awareness was high, it had a direct relationship with the low level of negative emotions in parents and the internal and external problems of children. Corthorn (25) found that fluid awareness training for mothers improved the parent-child relationship and its dimensions (increasing the reasoning skill and decreasing the verbal or physical aggression) between mothers and sons. Furthermore, Wong et al. (26) concluded that parental fluid awareness (mindfulness) training played an important role in exhibiting

positive behavior by parents and reducing their punitive and maladaptive behavior. Geurtzen et al. (13) and Tak et al. (14) also indicated a lack of correlation between parental fluid awareness (mindfulness) with symptoms of depression and anxiety in adolescents. In explaining these findings, it can be argued that the distortion of cognitive perceptions played a major role in the creation of problems and conflicts in the parent-child relationship. The mindfulness training could have a positive appropriate effect on the reduction of problems and conflicts, and thus improve the parent-child relationship. It could lead to non-judgment acceptance of behavior, traits and other characteristics of children by mothers (7). Using this training, mothers gain instant and complete awareness of their interactions and relationships with their children, accepting and rejecting them, developing the quality of listening with full attention to children, and developing awareness of their emotions, and increasing children compassion and acceptance and intimacy in their relationships with children (8).

The results also showed that happiness training was effective in improving parent-child interaction in mothers of preschoolers with anxiety. This result was consistent with studies by Pourrahipi et al. (27) on the effectiveness of Fordyce's happiness training in promoting the coping strategies, quality of life and optimism in female students; and Kamarzarin (28) based on the effectiveness of the Fordyce's happiness training pattern in marital satisfaction in mothers of mentally retarded boys. The method can be used to improve the quality of life for families with mentally retarded children. In recent years, happiness has been considered as an important variable of health psychology. In this regard, some studies have found a direct relationship of this construct with the immune system, so that happy and optimistic people tend to think that bad things belong to the same moment and place and have no effect on other aspects of life (29). Happy people react to adverse events and conditions more adaptively and positively than others and have lower levels stress and more creative and stronger immune system than unhappy

people, and they are expected to have extensive relationships with different people and make others feel better about their relationships. This characteristic can be also extended to interact with anxious children. Happy mothers decrease stress levels in anxious children and establish more intimate and interpersonal relationships with their children. Happiness training positively affects mother-child interactions by increasing meaningfulness, hope, optimism, and social well-being (5).

The research results indicated no significant difference between mindfulness and happiness training groups on parent-child interaction. The results indicated that both mindfulness and happiness training and appropriate and effective training improved the parent-child interaction and could similarly change the parent-child interaction in mothers of anxious children. If mothers can identify their own and children's emotions, they avoid their habitual reactions (6) and deal with children more attentively and consciously, and accept and establish positive interactions with intimacy and compassion due to the mindfulness training instead of rejecting their children (30). On the other hand, happiness is a combination of positive emotions, such as sensory arousal, pleasure, and excitement when negative emotions such as the feeling of depression, disinterest and boredom are minimum. In other words, happiness is a high level of positive emotions along with a low level of negative emotions (31, 32). Fordyce (23) believes that living happily and gaining happiness can affect people's interactions. Happiness is an important determinant of human promotion and development and refers to the use of purposive behavioral techniques that aim to eliminate, reduce or minimize problems or stress in interpersonal relationships. Happy people are more satisfied with personal, social and familial life. It is assumed that happiness is effective in changing the individual perception of the intensity of emotions and events, and their ability to control or tolerate everyday activities and problems (33). Happy people tend to see themselves and others positive and interpret events as positive. In general,

happiness refers to the individuals' evaluation of themselves and their lives. Studies indicate that happiness increases the resilience in life and improves interpersonal relations. Happiness also plays an important role in improving physical and mental health and enhancing the sense of security, satisfaction in life and promoting participation. According to psychological theories, happy people consider neutral events as positive events; and positive events as more positive issues (32). Happiness and positive mood have beneficial effects for people including the more attention to oneself and others' behavior; improvement of the quality of communication; improvement of tolerance in events; thinking more creative; better job performance; being an altruist and assisting others; helping others to solve the problem and dealing with ambiguity and stressful conditions (31).

## Conclusion

The mindfulness training could have a positive appropriate effect on the reduction of problems and conflicts, and thus improve the parent-child relationship. Happiness training was effective in improving parent-child interaction in mothers of preschoolers with anxiety. Happiness training positively affects mother-child interactions by increasing meaningfulness, hope, optimism, and social well-being. In general, mindfulness training decreases the previous maternal neglect of their children, and thus parents put on the priority and accept their children's feelings, emotions and needs through conscious and purposeful attention and being in the present time. Overall, education without judgmental thinking improves mothers' interaction and provides supportive and positive interactive patterns. In many cases, changes in mothers' behavior are more effective, especially if mothers have a psychological disorder and there are communication problems in the family. Based on the research findings, the following practical suggestions are recommended: Mindfulness and happiness training as a therapeutic intervention to improve parent-child interaction in mothers of anxious children in counseling and preschool

centers. Holding workshops to introduce mothers to parent-child interaction problems. In future studies, the effect of programs in fathers' population should be also investigated, because coordination between parents and their joint efforts to improve parent-child interaction will increase the effectiveness of parenting programs.

### Acknowledgments

This article was extracted from a part of the

Ph.D. dissertation of Arjang Fereydooni in the Department of Psychology, Khuzestan Science and Research Branch, Islamic Azad University, Ahvaz, Iran (code: 23220706981001). The researchers would like to thank all the individuals who participated in the study.

### Conflict of interest statement

The authors declare no conflict of interest for this study.

### References

1. Dougherty LR, Tolep MR, Bufferd SJ, et al. Preschool anxiety disorders: Comprehensive assessment of clinical, demographic, temperamental, familial, and life stress correlates. *Journal of Clinical Child & Adolescent Psychology*. 2013; 42(5):577-589.
2. Wang M, Zhao J. Anxiety disorder symptoms in Chinese preschool children. *Child Psychiatry & Human Development*. 2015; 46(1):158-166.
3. Soniya S, Solomon RJ. Effectiveness of Play Therapy on Anxiety among Hospitalized Preschool Children. *Asian Journal of Nursing Education and Research*. 2019; 9(2):193-196.
4. Kimonis ER, Fleming G, Briggs N, et al. Parent-Child Interaction Therapy adapted for preschoolers with callous-unemotional traits: An open trial pilot study. *Journal of Clinical Child & Adolescent Psychology*. 2019; 48(1):S347-S361.
5. Nietzer L, Thornberry T, Brestan-Knight E. The effectiveness of group parent-child interaction therapy with community families. *Journal of Child and Family Studies*. 2013; 22(4):490-501.
6. Comer JS, Furr JM, Miguel EM, et al. Remotely delivering real-time parent training to the home: An initial randomized trial of Internet-delivered parent-child interaction therapy (I-PCIT). *Journal of consulting and clinical psychology*. 2017; 85(9):909-917.
7. Allen J, Marshall CR. Parent-Child Interaction Therapy (PCIT) in school-aged children with specific language impairment. *International Journal of Language & Communication Disorders*. 2015; 46(4):397-410.
8. Frank JL, Reibel D, Broderick P, et al. The effectiveness of mindfulness-based stress reduction on educator stress and well-being: Results from a pilot study. *Mindfulness*. 2015; 6(2):208-216.
9. Kiburz KM, Allen TD, French KA. Work-family conflict and mindfulness: Investigating the effectiveness of a brief training intervention. *Journal of Organizational Behavior*. 2017; 38(7):1016-1037.
10. Coatsworth JD, Duncan LG, Nix RL, et al. Integrating mindfulness with parent training: effects of the Mindfulness-Enhanced Strengthening Families Program. *Developmental psychology*. 2015; 51(1):26-35.
11. Neece CL, Chan N, Klein K, et al. Mindfulness-based stress reduction for parents of children with developmental delays: understanding the experiences of Latino families. *Mindfulness*. 2019; 10(6):1017-1030.
12. Ridderinkhof A, de Bruin EI, Blom R, et al. Mindfulness-based program for children with autism spectrum disorder and their parents: Direct and long-term improvements. *Mindfulness*. 2018; 9(3):773-791.
13. Geurtzen N, Scholte RH, Engels RC, et al. Association between mindful parenting and adolescents' internalizing problems: non-judgmental acceptance of parenting as core element. *Journal of Child and Family Studies*. 2015; 24(4):1117-1128.
14. Tak YR, Van Zundert RMP, Kleinjan M, et al. Mindful parenting and adolescent depressive symptoms: The few associations are moderated by adolescent gender and parental depressive symptoms. *Mindfulness*. 2015; 6(4):812-823.
15. Karimi M, Estabraghi M, Hosseinzadeh Oskouee A, et al. The Relationship between Mother-Child Interaction and Mental Health of Adolescent Girls: The Mediating Role of Religious Identity. *Journal of Community Health Research*. 2019; 8(2):67-75.
16. Mirkhan I, Shakerinia I, Kafi M, et al. Prediction of life Satisfaction Based on Emotional Intelligence, Happiness and Religious Attitude Among Female Teachers of Urmia City, North West of Iran. *International Journal of School Health*. 2014; 1(3):e25144.



17. Rostami S, Toozandehjani H, Nejat H. The Comparison of the Effectiveness of Parent-Child Interaction Training and Adler-Dreikur Parenting Training on Children's Clinical Syndrome. *Salamat Ijtimai (Community Health)*. 2019; 6(4):415-425.
18. Bezeau S, Graves R. Statistical power and effect sizes of clinical neuropsychology research. *Journal of Clinical and Experimental Neuropsychology*. 2001; 23(3):399-406.
19. Spence SH, Rapee RM, McDonald C, et al. The structure of Anxiety symptoms among preschoolers. *Behaviour Research and Therapy*. 2001; 39(11):1293-1316.
20. Ghanbari S, Rabieenejad R, Ganje P, et al. Psychometric Properties of Preschool Children Anxiety Scale (Teacher Form). *Developmental Psychology (Journal of Iranian Psychologists)*. 2013; 10(37):29-37. [Persian]
21. Abedi-Shapourabadi S, Pourmohamadreza-Tajrishi M, Mohamadkhani P, et al. Effectiveness of Group Training Positive Parenting Program (Triple-P) on Parent-Child Relationship in Children with Attention Deficit/ Hyperactivity Disorders. *Journal of Clinical Psychology*. 2012; 4(3):63-73. [Persian]
22. Baer RA. Mindfulness training as a clinical intervention: A conceptual and empirical review. *Clinical psychology: Science and practice*. 2003; 10(2):125-143.
23. Fordyce MW. A program to increase happiness: Further studies. *Journal of Counseling Psychology*. 1983; 30(4):483-498.
24. Parent J, McKee LG, Rough JN, et al. The association of parent mindfulness with parenting and youth psychopathology across three developmental stages. *Journal of Abnormal Child Psychology*. 2016; 44(1):191-202.
25. Corthorn C. Benefits of Mindfulness for Parenting in Mothers of Preschoolers in Chile. *Front Psychol*. 2018; 9:1443.
26. Wong K, Hicks LM, Seuntjens TG, et al. The Role of Mindful Parenting in Individual and Social Decision-Making in Children. *Frontiers in Psychology*. 2019; 10:550.
27. Pourrahimi M, Ahadi H, Asgari P, et al. Effectiveness of Fordyce Happiness Training on Female Students' Coping Strategies, Quality of Life and Optimism. *Quarterly Journal of Women and Society*. 2015; 6(3):25-40. [Persian]
28. Kamarzarin H. The Affection of Fordyce Happiness Model on Increasing Martial Satisfaction of Mothers within Children Mental Retardation. *Middle Eastern Journal of Disability Studies*. 2016; 6:62-67.
29. Shiota MN, Campos B, Oveis C, et al. Beyond happiness: Building a science of discrete positive emotions. *American Psychologist*. 2017; 72(7):617- 643.
30. Kuyken W, Weare K, Ukoumunne OC, et al. Effectiveness of the Mindfulness in Schools Programme: non-randomised controlled feasibility study. *The British Journal of Psychiatry*. 2013; 203(2):126-131.
31. Najafi N, Keshmiri H. The Relationship Between Classroom Indoor Plants and Happiness of Female High School Students. *International Journal of School Health*. 2019; 6(1):1-14.
32. Oswald AJ, Proto E, Sgroi D. Happiness and productivity. *Journal of Labor Economics*. 2015; 33(4):789-822.
33. Liu B, Floud S, Pirie K, et al. Does happiness itself directly affect mortality? The prospective UK Million Women Study. *The Lancet*. 2016; 387(10021):874-881.